



## **FOCUS** Gas fire logs

**The same atmosphere of a real wood fireplace.**

### **MAIN FEATURES**

#### TECHNICAL

Installation type B: everywhere there is an existing wood fireplace, inside or outside in open environments.

Only a gas connection is required.

Operating by remote control.

Receiver with 50cm of cable.

Model widths : 37 - 50 - 77 - 130 - 180cm.

Option of running linking directly to an exhauster.

Safety device for monitoring oxygen amount OSD.

#### END USER

Creates a warmth atmosphere by a classic free visible flame.

Convert an useless wood fireplace to a smart gas one running by remote control.

Modulating flame setting (Min/Max).

This appliance is not intended for cooking food, any oil or grease from cooking undermine the safety and operation.

01\_ On/Off infrared remote control and flame setting



01

02\_ Example of fitting



02

03\_ Customizing with log set or river pebbles




03

## FREE FLAME BRAZIER INSERT

- > Reduced sizes for fitting any existing wood fireplace
- > Standard infrared remote control
- > Adjustable feet

### RANGE, SIZE AND WEIGHT



Model	40	60	80	130	180	u.m.
<b>Length (L)</b>	373	506	774	1307	1857	mm
<b>Height (H)</b>	140	140	140	140	140	mm
<b>Depth (P)</b>	296	296	296	296	296	mm
<b>Net weight</b>	7,5	10,5	13,5	19,5	24	Kg
<b>Gross weight</b>	8,5	11,5	14,5	20,5	25	Kg



#### Standard equipped

- remote control w/o display
- adjustable feet

**NOTE:** FOR THE APPLIANCE OPERATING WITH LPG, YOU MUST CHANGE THE 7TH FIGURE ON CODE, PUTTING A "L" (EXP. BN07A0 L0000).

### RANGE

Model	Code	Description
40	BN05A0 M0000	Gas fire logs.
60	BN07A0 M0000	
80	BN09A0 M0000	
130	BN13A0 M0000	
180	BN18A0 M0000	

### INSTALLATION TYPOLOGIES

